

FOR IMMEDIATE RELEASE

Most Accommodating Back Seat Drivers

Ryan Tow-Behind & 3-PT Hitch Aerators

Ryan Aerators offer clean, deep consistent penetration for precise and effective results. From the compact 36" Lawnaire that can be towed with a zero-turn ride-on mower to the athletic field capable 72" Tracaire tractor mount 3-pt. hitch, Ryan offers an aerator to suit your ride! Multiple configurations and tractor types match any application. Ryan pull-behind aerators offer an efficient eight tines per wheel standard with optional double tine capabilities for all models to double productivity without breaking a sweat. Choose from optional coring, slicing or open-spoon tines to match varying aerification needs. All Ryan pull-behind aerators feature independently mounted tine wheels that allow steering while the tines are in the ground for consistent tine penetration and excellent maneuverability.

Tow-Behind Lawnaire Aerator

The 36-inch tow-behind Ryan Lawnaire® aerator is highly effective on medium-size turf areas from one to five acres. The Lawnaire is towable by a riding mower and offers a choice of manual, hydraulic (hydraulic lift requires 700 psi for operation) or new electric lifts. Optional electric lift keeps you in your seat when going over driveways, sidewalks and curbs. Impressive aerating width of 36 inches, depth of up to four inches with 48 tines total (eight per wheel) make this tow-behind stand out among all its competitors. This unit also supports double tining.



The compact Ryan 36" Tow-Behind Lawnaire Aerator can be towed by a zero-turn riding mower.

Lawnaire (Tow Behind) Features:

- 36" aerating width.
- Independently mounted tine wheels allow steering while the tines remain in the ground and ensure consistent depth penetration.
- Manual, hydraulic, or new electric lifts available.
- Multiple tine configuration options
- Cast iron aerating wheels (6).

Specs:

Comes with eight tines per wheel (48 tines total), can be double tine mounted (96 tines total).
Hitch: Clevis and pin type.
Aerating speed: up to 4 mph or 1.5 acres/hr.
Aerating depth: up to 4 inches.
Towing speed: 10 mph.

Dimensions:

Unit weight: 500 lbs.
Unit width: 46"
Unit length: 68.5"
Unit height: 31"

Lawnaire 3-pt. Hitch Lawnaire Features:

Two models: 36" cat "0" or "1" capable of lifting 500 pounds
48" cat "1" capable of lifting 700 pounds

- Independently mounted tine wheels allow steering while the tines remain in the ground and ensure consistent depth penetration.
- Multiple tine configuration options.
- Tines are formed from austemper-hardened alloy steel.
- Cast iron aerating wheels (6 on 36"; 8 on 48").



Specs:

Eight tines per wheel (48 on 36"; 64 on 48"), can be double tine mounted (96 on 36"; 128 on 48").
Aerating speed: up to 4 mph.
Aerating depth: up to 4 inches.

Dimensions:

Unit weight: 36: 475 lbs. / 48: 675 lbs.
Unit width: 36: model 35" / 48: model 47"
Unit length: 36: 27.75" / 48: 31"
Unit height: 34.5" (both 36 & 48-inch models)

Renovaire Aerator (tractor-drawn)

The tractor-drawn Ryan Renovaire aerator is designed on the “true contour” principle. Each pair of tine wheels is independently mounted to follow the contour of the terrain, providing more precise coring and ensuring consistent depth penetration. Undulating areas get deep, even penetration over a 6-foot aerating width at speeds of up to 4 mph. The weight trays, which carry 100 lbs. each, provide maximum penetration in heavy compacted areas. Any tractor capable of towing 1,600 lbs. can utilize the Renovaire to make quick work of undulated turf and get superior results.



Renovaire Features:

- 72" (6 foot) aerating width.
- Hydraulic cylinder lift.
- Independently mounted tine wheels allow steering while the tines remain in the ground and ensure consistent depth penetration.
- Multiple tine configuration options: 0.5 in. (13 mm) diameter coring (standard), 7.5 in. (191 mm) slicing or 6 in. (152 mm) open-spoon.
- Weight trays carry up to 100 lbs. ea. (set of six included).
- Tines are formed from austemper-hardened alloy steel.
- Cast iron aerating wheels (12).

Specs:

Eight tines per wheel (96 tines total), can be double tine mounted (192 tines total).

Aerating speed: up to 4 mph or 3 acres/hr.

Aerating depth: up to 4 inches.

Towing speed: 10 mph.

Dimensions:

Unit weight: 1,518 lbs.

Unit width: 96"

Unit length: 60"

Unit height: 36"

Ryan Tracaire

The Ryan 3-pt. hitch Tracaire 72-inch aerator helps alleviate compaction problems that result from heavy use and seasonal changes on athletic fields, parks and other large flat areas. With an aeration width of 6 feet, the Tracaire helps develop healthy, deep-rooted grass that protects turf from harsh conditions. The Tracaire offers coring, slicing or deep-spoon tines, as well as support for double tining.

Tracaire Features:

- 72" (6 foot) aerating width.
- Hitch: tractor category "1" 3-point hitch.
- Independently mounted tine wheels allow steering while the tines remain in the ground and ensure consistent depth penetration.
- Multiple tine configuration options.
- Tines are formed from austemper-hardened alloy steel.
- Cast iron aerating wheels (12).

Specs:

Eight tines per wheel (96 tines total).

Tine wheels can be double tine mounted with 16 tines per wheel (192 tines total).

Aerating speed: up to 4 mph or 3 acres/hr.

Aerating depth: up to 4 inches.

Dimensions:

Unit weight: 1,011 lbs.

Unit width: 78"

Unit length: 48"

Unit height: 24"



Tracaire Aerator above (shown topless below) alleviates compaction in high traffic flat areas.



All Ryan products are covered by a 2-year commercial warranty. See your local Ryan dealer for warranty details.

About Ryan

For over 60 years professionals have reached for Ryan turf renovation equipment to transform landscapes and maintain healthy, thick turf. The Ryan line of turf renovation equipment includes: aerators, dethatchers/turf rakes, overseeders, sod cutters and other specialty products that serve the landscaping and grounds care professional. Ryan turf renovation equipment is available through power equipment retailers and rental dealerships nationwide. To learn more about Ryan equipment and locate a dealer in your area, visit the Ryan website at www.ryanturf.com.

Ryan is a registered trademark of Schiller Grounds Care, Inc.

About Schiller Grounds Care, Inc.

Schiller Grounds Care, Inc. is a U.S. based O.E.M. with three manufacturing facilities located in Southampton, Pennsylvania, Norfolk, Nebraska and Johnson Creek, Wisconsin. Schiller Grounds Care creates and brings to market a broad variety of landscaping, gardening and turf care equipment for residential and commercial use under the brand names of BOB-CAT, Bunton, Classen, Little Wonder, Mantis, Ryan and Steiner. To learn more about Schiller Grounds Care and its various brands of power equipment, visit www.schillergc.com.

###

Contact: Linda Beattie

Ph: 215-357-5110 x1423

Fax: 215-357-1071

Email: lbeattie@schillergc.com